

Frequently Asked Questions

1. What is the difference between Golytely, Trilyte and Colyte?

All solutions are similar forms of this prep.

2. Why do I have to drink so much?

This is a large amount to drink but it works by flushing out your system of waste material over several hours. The solution gently “washes” the bowel clean. Do not just sip the solution. It is important you drink eight ounces every 15 minutes. It does not absorb into your body, nor does it cause you to become dehydrated.

3. Is there any way that I can make this taste any better?

You can try sucking on hard candy or rinse your mouth with water or mouthwash. Do not eat or drink anything while you are drinking this solution.

4. Why avoid red liquids?

The red color can persist in the colon and potentially look like red blood.

5. One of the medications I was instructed to take the morning of my procedure is red. Can I take it?

Medications for blood pressure, heart conditions and seizures should be taken the morning of your exam regardless of the color.

6. I feel like vomiting and do not think I can drink any more. What should I do?

It is important that you continue to drink the solution if possible. Remember that it is the large volume that helps to empty your bowel. Without a clean bowel, the doctor will not be able to see the inside of your colon to complete the examination. If you do vomit, wait 30 minutes, and begin drinking the solution again. You might try taking six ounces at a time, rather than eight ounces. If not improved, call us and have a phone number of an open pharmacy in case we need to call a prescription.

7. I drank a lot of the solution and have not gone to the bathroom yet. What should I do?

Keep drinking eight ounces every 15 minutes. Most people have a bowel movement after an hour; some patients may take two or more hours.

8. I am taking the prep and now having loose, watery stools, Do I still need the rest of the prep?

Yes, you may have a solid stool higher in the colon that needs to be eliminated.

9. I already have diarrhea before taking the prep, do I still have to take the laxative?

Yes, you must take the prep as directed by your doctor. Your colon is approximately six feet long. The entire colon must be emptied for your physician to see the colon clearly.

10. I see yellow color in the toilet bowl and a few flecks. What do I do?

If you drank the entire solution or if your last bowel movements were clear enough that you were able to see the bottom of the toilet, you should be fine. It is okay if you have some flecks of material. The yellow color is a result of bile that normally colors the feces. This should not interfere with the examination.

11. My bottom is so sore. What can I do?

To clean the area, avoid rubbing. Gently pat with a wet washcloth. Apply Vaseline, Preparation H or Desitin liberally.

12. Can I drink alcoholic beverages?

We strongly suggest that you do not drink any alcoholic beverages prior to your procedure since they can cause dehydration and some wines may thin your blood.

13. Can I drink any nutritional supplements?

You may drink Ensure (chocolate or vanilla) or Slim-Fast with Soy Protein/Lactose Free. These drinks are water based, not milk based.

14. Can I chew gum or suck candy?

Yes, but nothing with soft centers and red color.

15. What if I am still passing stool in the morning of my test?

Take a tap water enema until you run clear. If this does not work, call the office.

16. Can I brush my teeth?

Please do.

17. Can I wear my dentures?

Yes, you may wear your dentures to the endoscopy suite. However, you may be asked to remove them prior to the procedure.

18. I have been instructed not to take anti-inflammatories or blood thinners several days before the procedure. What can I take for headaches and pain relief?

You may take Tylenol as directed.

19. Can I have chicken soup?

You can only have the broth; no noodles, chicken or vegetables allowed.

20. Do I need a prescription for the laxatives?

It depends on the preparation instructions you were given. Golytely, Nulytely and Colyte require a prescription.

21. Can I have a colonoscopy done if I am on my menstrual period?

Yes, the procedure can still be performed. We ask that you use a tampon if possible (not absolutely necessary).

22. I am on a fluid restriction due to problems with heart or kidney failure, is it safe to drink all this prep?

The fluid in this prep is formulated to flush through your intestinal tract and not absorb into your blood stream. It is considered the safest prep for patients with a history of congestive heart failure and kidney failure.